

50mm COVER TO
TOP OF DOWELS

150mm

-12mm GALVANISED STEEL
DOWELS 500mm CENTRES
MIN 150mm INTO EXISTING PAVEMENT

DETAIL OF DOWELLING MOUNTABLE (SF) KERB TO EXISTING PAVEMENT

N.T.S.

50mm COVER TO
TOP OF DOWELS


CONCRETE ISLAND / MEDIAN INFILL

150mm

-12mm GALVANISED STEEL
DOWELS 500mm CENTRES
MIN 150mm INTO EXISTING PAVEMENT

DETAIL OF DOWELLING BARRIER (SM) KERB TO EXISTING PAVEMENT

N.T.S.



- CONCRETE ISLAND / MEDIAN INFILL DETAILS TO BE AS SHOWN ON THE APPROVED ENGINEERING PLANS OR AS DETERMINED BY THE ENGINEER.

Om.

100mm ROADWAY

7.0

CUT 100x100x100mm
INTO EXISTING PAVEMENT
TO ANCHOR KERB

100m

DETAIL OF KERB ANCHORING INTO EXISTING PAVEMENT

N.T.S.

NOTES

1. ONLY MOUNTABLE KERB OR BARRIER KERB (KERB ONLY) TO BE FIXED TO EXISTING PAVEMENTS AS DETAILED ABOVE.
2. WHERE ROADS ARE TO RECEIVE A RESHEET KERBS SHALL BE RAISED SUFFICIENTLY TO COMPENSATE FOR THE RESHEET THICKNESS UNLESS MILLING OF THE EXISTING SURFACE IS TO TAKE PLACE.

FIXING KERB TO EXISTING PAVEMENT

SNOWY RIVER SHIRE COUNCIL

Surveyed By

Drawn By

Scale

Approved By

Date

Datum

Sheet No

Ref. No

Plan No

Job	No	.	.	.
Disk	No	.	.	.

Checked By
Passed By

NTS